

## Magnetic Contacts Flush Mounting

	<p><b>A00</b> Rapidfit Flush Contact Op-gap 23mm Diameter 19mm x Length 16mm x Plate 25mm</p>		<p><b>A003</b> 4-Wire Pencil Encapsulated Flanged Op-gap 11mm Diameter 8mm x Length 28.5mm</p>
	<p><b>A001</b> Quickfit Flush Contact Op-gap 23mm Diameter 19mm x Length 16mm x Plate 35mm</p>		<p><b>A008</b> 4-Core Pencil Encapsulated Flanged Op-gap 11mm Diameter 8mm x Length 28.5mm</p>
	<p><b>A002</b> 4-Wire Pencil Encapsulated Op-gap 11mm Diameter 8mm x Length 28.5mm</p>		<p><b>A040</b> Flush Contact Fitted With 4K7 Resistor OP-Gap 11mm Diameter 10mm x Length 28.5mm</p>
	<p><b>A009</b> 4-Core Pencil Encapsulated Op-gap 11mm Diameter 8mm x Length 28.5mm</p>		

## Magnetic Contacts Surface Mounting

	<p><b>B010</b> 5 Terminal Surface Contact Op-gap 27mm Length 62mm x Height 13mm x Width 12mm</p>		<p><b>B002E</b> 4-Core Patio Encapsulated Contact Op-gap 21mm Length 44mm x Height 18mm x Width 12mm</p>
	<p><b>B029</b> 5 Terminal Surface Contact Op-gap 17mm Length 62mm x Height 13mm x Width 12mm</p>		<p><b>B006E</b> 4-Core Patio Encapsulated Contact S/Ad Op-gap 21mm Length 44mm x Height 18mm x Width 12mm</p>
	<p><b>B028</b> 5 Terminal Surface Contact N/Open Op-gap 27mm Length 62mm x Height 13mm x Width 12mm</p>		<p><b>B019</b> 6 Terminal H/Duty Tampered Contact Op-gap 40mm Reed H: Length 82mm x Height 20mm x Width 25mm. M Half Length 82mm x Height 20mm x Width 18mm</p>
	<p><b>B009E</b> 5 Terminal Surface Encapsulated Contact Op-gap 27mm. Length 62mm x Height 13mm x Width 12mm</p>		<p><b>B020</b> Terminal H/Duty Tampered Contact Op-gap 40mm Reed H: Length 82mm x Height 20mm x Width 25mm. M Half Length 82mm x Height 20mm x Width 18mm</p>


	<p><b>B030E</b> 5 Terminal Surface Encapsulated Contact Op-gap 17mm. Length 62mm x Height 13mm x Width 12mm</p>		<p><b>B040</b> Surface Contact Fitted with 4K7 resistor Op-Gap 27mm Length 62mm x Height 13mm x Width 12mm</p>
	<p><b>B001E</b> 4-Core Micro Encapsulated Op-gap 19mm Length 30mm x Height 13mm x Width 12mm</p>		

## Roller Shutter Contacts & Aluminium ETP







	<p><b>B011</b> 4 Core Patio Aluminium Op-gap 20mm Length 36mm x Height 16mm x Width 10mm</p>		<p><b>C003</b> Roller Shutter Aluminium Op-gap 62mm Length 101mm x Height 14mm x Width 42mm ½ mtr Armoured Cable</p>
	<p><b>B012</b> 4 Core Patio Aluminium S/Adhesive Op-gap 20mm Length 36mm x Height 16mm x Width 10mm</p>		<p><b>C004</b> Roller Shutter Aluminium Op-gap 62mm Length 101mm x Height 14mm x Width 42mm 1 mtr Armoured Cable</p>
	<p><b>B022</b> 4 Core Patio Aluminium Heavy Duty Op-gap 24mm Length 36mm x Height 16mm x Width 10mm Armoured Cable</p>		<p><b>C005</b> Roller Shutter Aluminium Op-gap 62mm Length 101mm x Height 14mm x Width 42mm 2 mtr Armoured Cable</p>
	<p><b>B014E</b> Angle Bracket Encapsulated ETP Op-gap 65mm Length 75mm x Height 27mm x Width 25mm</p>		<p><b>C010</b> Roller Shutter ETP Op-gap 62mm Length 101mm x Height 14mm x Width 42mm ½ mtr Armoured Cable</p>
	<p><b>B015E</b> Angle Bracket Encapsulated ETP Op-gap 65mm Length 75mm x Height 27mm x Width 25mm ½ mtr Armoured Cable</p>		<p><b>C011</b> Roller Shutter ETP Op-gap 62mm Length 101mm x Height 14mm x Width 42mm 1 mtr Armoured Cable</p>
	<p><b>C001</b> Roller Shutter Aluminium Op-gap 50mm Length 162mm x Height 14.6mm x Width 45.6mm ½ mtr Armoured Cable</p>		<p><b>C012</b> Roller Shutter ETP Op-gap 62mm Length 101mm x Height 14mm x Width 42mm 2 mtr Armoured Cable</p>

## Personal Attack Buttons

	<p><b>G009</b> Single Push Latch/Non Latch Panic Button Plastic Key Height 66mm x Width 50mm x Depth 25mm</p>		<p><b>G020</b> Centre Push Latch Panic Button Plastic Key Height 56mm x Width 56mm x Depth 30mm</p>
---	---	--	---














	<p><b>G010</b> Single Push Latch/Non Latch Panic Button Metal Key Height 66mm x Width 50mm x Depth 25mm</p>		<p><b>G021</b> Centre Push Latch Panic Button Metal Key Height 56mm x Width 56mm x Depth 30mm</p>
	<p><b>G015</b> Single Push Latch Indication Panic Button Plastic Key Height 66mm x Width 50mm x Depth 25mm</p>		<p><b>G022</b> Centre Push Non Latch Panic Button Height 56mm x Width 56mm x Depth 30mm</p>
	<p><b>G016</b> Single Push Latch Indication Panic Button Metal Key Height 66mm x Width 50mm x Depth 25mm</p>		<p><b>G031</b> Double Push Latch Indication Panic Button Metal Key Height 66mm x Width 50mm x Depth 26mm</p>
	<p><b>G017</b> Single Push Non Latch Panic Button Height 66mm x Width 50mm x Depth 25mm</p>		<p><b>G032</b> Double Push Latch Non Latch Panic Button Height 66mm x Width 50mm x Depth 26mm</p>
	<p><b>G011</b> Single Push S/S Latch Indication Panic Button Metal Key Height 66mm x Width 50mm x Depth 25mm</p>		<p><b>G033</b> Double Push Latch Indication S/S Panic Button Metal Key Height 66mm x Width 50mm x Depth 26mm</p>
	<p><b>G012</b> Single Push Brass Latch Indication Panic Button Metal Key. Height 66mm x Width 50mm x Depth 25mm</p>		<p><b>G034</b> Double Push Latch Indication Brass Panic Button Metal Key. Height 66mm x Width 50mm x Depth 26mm</p>
	<p><b>G018</b> Single Push Non Latch S/Steel Panic Button Height 66mm x Width 50mm x Depth 25mm</p>		<p><b>G035</b> Double Push Non Latch S/Steel Panic Button Height 66mm x Width 50mm x Depth 26mm</p>
	<p><b>G019</b> Single Push Non Latch Brass Panic Button Height 66mm x Width 50mm x Depth 25mm</p>		<p><b>G036</b> Double Push Non Latch Brass Panic Button Height 66mm x Width 50mm x Depth 26mm</p>

## Junction Boxes


	<p><b>E008</b> 7 Terminal Oblong Junction Box Tamper 2 Stainless Leaf Length 82mm x Height 20mm x Width 25.5mm</p>		<p><b>E013</b> 20 Terminal Square Junction Box Tamper Micro-switch Length 126mm x Height 36mm x Width 100mm Slim Lid</p>
	<p><b>E009</b> 9 Terminal Oblong Junction Box Tamper 2 Stainless Leaf Length 82mm x Height 20mm x Width 25.5mm</p>		<p><b>E014</b> 24 Terminal Square Junction Box Tamper 2 Stainless Leaf Length 126mm x Height 36mm x Width 100mm Std Lid</p>
	<p><b>E010</b> 10 Terminal Square Junction Box Tamper 2 Stainless Leaf Length 69mm x Height 21.5mm x Width 54mm</p>		<p><b>E015</b> 24 Terminal Square Junction Box Tamper Micro-switch Length 126mm x Height 36mm x Width 100mm Std Lid</p>

	<p><b>E011</b>  12 Terminal Square  Junction Box  Tamper 2 Stainless Leaf  Length 69mm x  Height 21.5mm x Width 54mm</p>		<p><b>E016</b>  24 Terminal Square  Junction Box Tamper  2 Stainless Leaf  Length 126mm x  Height 36mm x Width 100mm  Slim Lid</p>
	<p><b>E012</b>  20 Terminal Square  Junction Box  Tamper 2 Stainless Leaf  Length 126mm x  Height 36mm x Width 100mm  Slim Lid</p>		















## Door Loops

	<p><b>F010</b>  4 Way Door Loop 30cm  Straight</p>		<p><b>F017</b>  6 Way Door Loop 1mtr  Extendable</p>
	<p><b>F011</b>  6 Way Door Loop 30 cm  Straight</p>		<p><b>F018</b>  4 Way Door Loop 1.5mtr  Extendable</p>
	<p><b>F012</b>  4 Way Door Loop 28cm  Extendable</p>		<p><b>F019</b>  6 Way Door Loop 1.5mtr  Extendable</p>
	<p><b>F013</b>  6 Way Door Loop 28cm  Extendable</p>		<p><b>F901</b>  4 Way 30cm Straight  Assembled  Door Loop i/c Two 7 Terminal  Tampered Junction Boxes</p>
	<p><b>F014</b>  4 Way Door Loop 50cm  Extendable</p>		<p><b>F902</b>  6 Way 30cm Straight  Assembled  Door Loop i/c Two 7 Terminal  Tampered Junction Boxes</p>
	<p><b>F015</b>  6 Way Door Loop 50cm  Extendable</p>		<p><b>F904</b>  6 Way 28cm Extendable  Assembled  Door Loop i/c Two 7 Terminal  Tampered Junction Boxes</p>
	<p><b>F016</b>  4 Way Door Loop 1mtr  Extendable</p>		

# Exit Terminators

	<p><b><a href="#">MET1B</a></b>            ½Mtr 4-Core LED Integral Resistor            Length 30mm x Diameter 15mm            Flush Fitting Plate Silicon Encapsulated</p>		
---	---	--	--

# MX Call Points

	<p><b><a href="#">MX50</a></b>            Red Single Pole BGU 470 Resistor</p>		<p><b><a href="#">MX76</a></b>            Green Double Pole Re-set EDR with LED 470 Resistor For Magnetic Lock</p>
	<p><b><a href="#">MX52</a></b>            Red Single Pole BGU 250VAC 3A Mains</p>		<p><b><a href="#">MX84</a></b>            Green Triple Pole EDR</p>
	<p><b><a href="#">MX54</a></b>            Green Single Pole EDR</p>		<p><b><a href="#">MX85</a></b>            Green Triple Pole EDR Re-set with LED 470 Resistor</p>
	<p><b><a href="#">MX54W</a></b>            White Single Pole EDR</p>		<p><b><a href="#">MX86</a></b>            Green Triple Pole EDR Re-set with LED 470 Resistor For Magnetic Locks</p>
	<p><b><a href="#">MX54Y</a></b>            Yellow Single Pole EDR</p>		<p><b><a href="#">MX94</a></b>            Quadruple Pole EDR</p>
	<p><b><a href="#">MX55</a></b>            Green Single Pole EDR Re-set with LED 470 Resistor</p>		<p><b><a href="#">MX57</a></b>            Single Pole Waterproof BGU. Available in Red, Green, Blue, White or Yellow</p>
	<p><b><a href="#">MX56</a></b>            Green Single Pole EDR Re-set with LED 470 Resistor For Magnetic Locks</p>		<p><b><a href="#">MX58</a></b>            Single Pole Waterproof Re-set BGU with LED Available in Red, Green, Blue, White or Yellow</p>
	<p><b><a href="#">MX74</a></b>            Green Double Pole EDR</p>		<p><b><a href="#">MX77</a></b>            Double Pole Waterproof BGU Available in Red, Green, Blue, White or Yellow</p>
	<p><b><a href="#">MX74W</a></b>            White Double Pole EDR</p>		<p><b><a href="#">MX78</a></b>            Double Pole Waterproof Re-set BGU Available in Red, Green, Blue, White or Yellow</p>

	<a href="#">MX74Y</a> Yellow Double Pole EDR		<a href="#">MX87</a> Triple Pole Waterproof BGU Available in Red, Green, Blue, White or Yellow
	<a href="#">MX75</a> Green Double Pole Re-set EDR with LED 470 Resistor		<a href="#">MX88</a> Triple Pole Waterproof Re-set BGU Available in Red, Green, Blue, White or Yellow


## Shunt Switches

	<a href="#">BP001</a> Surface Polycarbonate 3 Keys Tamper 2 Leaf Springs Length 95mm x Height 32mm x Width 45mm Operation Micro-switch		
---	---	--	--

## MX Accessories

	<a href="#">MX000</a> Surface Mounting Box		<a href="#">MX005</a> "Like Glass" Pack of 10
	<a href="#">MX001</a> Pack of 10 Spare BGU Keys Suitable for all Maxhunt Call Points		<a href="#">MX008</a> Earth Strap
	<a href="#">MX003</a> Transparent Hinged Cover		<a href="#">MX009</a> Allen Key Pack of 5
	<a href="#">MX004</a> Re-Set Plastic Element Pack of 10		<a href="#">MX010</a> Pack of 3 O Rings
	<a href="#">MX004E</a> Re-Set Plastic Element for Waterproof Pack of 10		<a href="#">MX020</a> Tampered Transparent Hinged Cover

## Foil Accessories

	<a href="#">D020</a> Double Foil Block Short Plate		<a href="#">D020</a> Aluminium Foil Self Adhesive Length 33mtr x 9mm
---	---	--	---

# Spare Keys

	<b>G013</b> Plastic Key - Suitable for all Maxhunt panic buttons		<b>G014</b> Metal Key - Suitable for all Maxhunt panic buttons
---	---	--	---

## Quotation Request

Name	Part No	Qty
Company		
Address		
City/Town		
Post Code		
Country		
Telephone No		
Fax No		
Email Address		

Please fax this sheet to +44 (0) 2920 489132 or contact us as below for further details:



**TEL:** +44 (0) 2920 488129  
**FAX:** +44 (0) 2920 489132  
**EMAIL:** sales@knightfireandsecurity.com  
**WEB:** www.knightfireandsecurity.com