

Magnetic Contacts Flush Mounting

	<p>A00 Rapidfit Flush Contact Op-gap 23mm Diameter 19mm x Length 16mm x Plate 25mm</p>		<p>A003 4-Wire Pencil Encapsulated Flanged Op-gap 11mm Diameter 8mm x Length 28.5mm</p>
	<p>A001 Quickfit Flush Contact Op-gap 23mm Diameter 19mm x Length 16mm x Plate 35mm</p>		<p>A008 4-Core Pencil Encapsulated Flanged Op-gap 11mm Diameter 8mm x Length 28.5mm</p>
	<p>A002 4-Wire Pencil Encapsulated Op-gap 11mm Diameter 8mm x Length 28.5mm</p>		<p>A040 Flush Contact Fitted With 4K7 Resistor OP-Gap 11mm Diameter 10mm x Length 28.5mm</p>
	<p>A009 4-Core Pencil Encapsulated Op-gap 11mm Diameter 8mm x Length 28.5mm</p>		

Magnetic Contacts Surface Mounting

	<p>B010 5 Terminal Surface Contact Op-gap 27mm Length 62mm x Height 13mm x Width 12mm</p>		<p>B002E 4-Core Patio Encapsulated Contact Op-gap 21mm Length 44mm x Height 18mm x Width 12mm</p>
	<p>B029 5 Terminal Surface Contact Op-gap 17mm Length 62mm x Height 13mm x Width 12mm</p>		<p>B006E 4-Core Patio Encapsulated Contact S/Ad Op-gap 21mm Length 44mm x Height 18mm x Width 12mm</p>
	<p>B028 5 Terminal Surface Contact N/Open Op-gap 27mm Length 62mm x Height 13mm x Width 12mm</p>		<p>B019 6 Terminal H/Duty Tampered Contact Op-gap 40mm Reed H: Length 82mm x Height 20mm x Width 25mm. M Half Length 82mm x Height 20mm x Width 18mm</p>
	<p>B009E 5 Terminal Surface Encapsulated Contact Op-gap 27mm. Length 62mm x Height 13mm x Width 12mm</p>		<p>B020 Terminal H/Duty Tampered Contact Op-gap 40mm Reed H: Length 82mm x Height 20mm x Width 25mm. M Half Length 82mm x Height 20mm x Width 18mm</p>


	<p>B030E 5 Terminal Surface Encapsulated Contact Op-gap 17mm. Length 62mm x Height 13mm x Width 12mm</p>		<p>B040 Surface Contact Fitted with 4K7 resistor Op-Gap 27mm Length 62mm x Height 13mm x Width 12mm</p>
	<p>B001E 4-Core Micro Encapsulated Op-gap 19mm Length 30mm x Height 13mm x Width 12mm</p>		

Roller Shutter Contacts & Aluminium ETP







	<p>B011 4 Core Patio Aluminium Op-gap 20mm Length 36mm x Height 16mm x Width 10mm</p>		<p>C003 Roller Shutter Aluminium Op-gap 62mm Length 101mm x Height 14mm x Width 42mm ½ mtr Armoured Cable</p>
	<p>B012 4 Core Patio Aluminium S/Adhesive Op-gap 20mm Length 36mm x Height 16mm x Width 10mm</p>		<p>C004 Roller Shutter Aluminium Op-gap 62mm Length 101mm x Height 14mm x Width 42mm 1 mtr Armoured Cable</p>
	<p>B022 4 Core Patio Aluminium Heavy Duty Op-gap 24mm Length 36mm x Height 16mm x Width 10mm Armoured Cable</p>		<p>C005 Roller Shutter Aluminium Op-gap 62mm Length 101mm x Height 14mm x Width 42mm 2 mtr Armoured Cable</p>
	<p>B014E Angle Bracket Encapsulated ETP Op-gap 65mm Length 75mm x Height 27mm x Width 25mm</p>		<p>C010 Roller Shutter ETP Op-gap 62mm Length 101mm x Height 14mm x Width 42mm ½ mtr Armoured Cable</p>
	<p>B015E Angle Bracket Encapsulated ETP Op-gap 65mm Length 75mm x Height 27mm x Width 25mm ½ mtr Armoured Cable</p>		<p>C011 Roller Shutter ETP Op-gap 62mm Length 101mm x Height 14mm x Width 42mm 1 mtr Armoured Cable</p>
	<p>C001 Roller Shutter Aluminium Op-gap 50mm Length 162mm x Height 14.6mm x Width 45.6mm ½ mtr Armoured Cable</p>		<p>C012 Roller Shutter ETP Op-gap 62mm Length 101mm x Height 14mm x Width 42mm 2 mtr Armoured Cable</p>

Personal Attack Buttons

	<p>G009 Single Push Latch/Non Latch Panic Button Plastic Key Height 66mm x Width 50mm x Depth 25mm</p>		<p>G020 Centre Push Latch Panic Button Plastic Key Height 56mm x Width 56mm x Depth 30mm</p>
---	---	--	---














	<p>G010 Single Push Latch/Non Latch Panic Button Metal Key Height 66mm x Width 50mm x Depth 25mm</p>		<p>G021 Centre Push Latch Panic Button Metal Key Height 56mm x Width 56mm x Depth 30mm</p>
	<p>G015 Single Push Latch Indication Panic Button Plastic Key Height 66mm x Width 50mm x Depth 25mm</p>		<p>G022 Centre Push Non Latch Panic Button Height 56mm x Width 56mm x Depth 30mm</p>
	<p>G016 Single Push Latch Indication Panic Button Metal Key Height 66mm x Width 50mm x Depth 25mm</p>		<p>G031 Double Push Latch Indication Panic Button Metal Key Height 66mm x Width 50mm x Depth 26mm</p>
	<p>G017 Single Push Non Latch Panic Button Height 66mm x Width 50mm x Depth 25mm</p>		<p>G032 Double Push Latch Non Latch Panic Button Height 66mm x Width 50mm x Depth 26mm</p>
	<p>G011 Single Push S/S Latch Indication Panic Button Metal Key Height 66mm x Width 50mm x Depth 25mm</p>		<p>G033 Double Push Latch Indication S/S Panic Button Metal Key Height 66mm x Width 50mm x Depth 26mm</p>
	<p>G012 Single Push Brass Latch Indication Panic Button Metal Key. Height 66mm x Width 50mm x Depth 25mm</p>		<p>G034 Double Push Latch Indication Brass Panic Button Metal Key. Height 66mm x Width 50mm x Depth 26mm</p>
	<p>G018 Single Push Non Latch S/Steel Panic Button Height 66mm x Width 50mm x Depth 25mm</p>		<p>G035 Double Push Non Latch S/Steel Panic Button Height 66mm x Width 50mm x Depth 26mm</p>
	<p>G019 Single Push Non Latch Brass Panic Button Height 66mm x Width 50mm x Depth 25mm</p>		<p>G036 Double Push Non Latch Brass Panic Button Height 66mm x Width 50mm x Depth 26mm</p>

Junction Boxes


	<p>E008 7 Terminal Oblong Junction Box Tamper 2 Stainless Leaf Length 82mm x Height 20mm x Width 25.5mm</p>		<p>E013 20 Terminal Square Junction Box Tamper Micro-switch Length 126mm x Height 36mm x Width 100mm Slim Lid</p>
	<p>E009 9 Terminal Oblong Junction Box Tamper 2 Stainless Leaf Length 82mm x Height 20mm x Width 25.5mm</p>		<p>E014 24 Terminal Square Junction Box Tamper 2 Stainless Leaf Length 126mm x Height 36mm x Width 100mm Std Lid</p>
	<p>E010 10 Terminal Square Junction Box Tamper 2 Stainless Leaf Length 69mm x Height 21.5mm x Width 54mm</p>		<p>E015 24 Terminal Square Junction Box Tamper Micro-switch Length 126mm x Height 36mm x Width 100mm Std Lid</p>

	<p>E011 12 Terminal Square Junction Box Tamper 2 Stainless Leaf Length 69mm x Height 21.5mm x Width 54mm</p>		<p>E016 24 Terminal Square Junction Box Tamper 2 Stainless Leaf Length 126mm x Height 36mm x Width 100mm Slim Lid</p>
	<p>E012 20 Terminal Square Junction Box Tamper 2 Stainless Leaf Length 126mm x Height 36mm x Width 100mm Slim Lid</p>		













Door Loops

	<p>F010 4 Way Door Loop 30cm Straight</p>		<p>F017 6 Way Door Loop 1mtr Extendable</p>
	<p>F011 6 Way Door Loop 30 cm Straight</p>		<p>F018 4 Way Door Loop 1.5mtr Extendable</p>
	<p>F012 4 Way Door Loop 28cm Extendable</p>		<p>F019 6 Way Door Loop 1.5mtr Extendable</p>
	<p>F013 6 Way Door Loop 28cm Extendable</p>		<p>F901 4 Way 30cm Straight Assembled Door Loop i/c Two 7 Terminal Tampered Junction Boxes</p>
	<p>F014 4 Way Door Loop 50cm Extendable</p>		<p>F902 6 Way 30cm Straight Assembled Door Loop i/c Two 7 Terminal Tampered Junction Boxes</p>
	<p>F015 6 Way Door Loop 50cm Extendable</p>		<p>F904 6 Way 28cm Extendable Assembled Door Loop i/c Two 7 Terminal Tampered Junction Boxes</p>
	<p>F016 4 Way Door Loop 1mtr Extendable</p>		

Exit Terminators

	<p>MET1B ½Mtr 4-Core LED Integral Resistor Length 30mm x Diameter 15mm Flush Fitting Plate Silicon Encapsulated</p>		
---	---	--	--

MX Call Points








	<p>MX50 Red Single Pole BGU 470 Resistor</p>		<p>MX76 Green Double Pole Re-set EDR with LED 470 Resistor For Magnetic Lock</p>
	<p>MX52 Red Single Pole BGU 250VAC 3A Mains</p>		<p>MX84 Green Triple Pole EDR</p>
	<p>MX54 Green Single Pole EDR</p>		<p>MX85 Green Triple Pole EDR Re-set with LED 470 Resistor</p>
	<p>MX54W White Single Pole EDR</p>		<p>MX86 Green Triple Pole EDR Re-set with LED 470 Resistor For Magnetic Locks</p>
	<p>MX54Y Yellow Single Pole EDR</p>		<p>MX94 Quadruple Pole EDR</p>
	<p>MX55 Green Single Pole EDR Re-set with LED 470 Resistor</p>		<p>MX57 Single Pole Waterproof BGU. Available in Red, Green, Blue, White or Yellow</p>
	<p>MX56 Green Single Pole EDR Re-set with LED 470 Resistor For Magnetic Locks</p>		<p>MX58 Single Pole Waterproof Re-set BGU with LED Available in Red, Green, Blue, White or Yellow</p>
	<p>MX74 Green Double Pole EDR</p>		<p>MX77 Double Pole Waterproof BGU Available in Red, Green, Blue, White or Yellow</p>
	<p>MX74W White Double Pole EDR</p>		<p>MX78 Double Pole Waterproof Re-set BGU Available in Red, Green, Blue, White or Yellow</p>

	MX74Y Yellow Double Pole EDR		MX87 Triple Pole Waterproof BGU Available in Red, Green, Blue, White or Yellow
	MX75 Green Double Pole Re-set EDR with LED 470 Resistor		MX88 Triple Pole Waterproof Re-set BGU Available in Red, Green, Blue, White or Yellow

Shunt Switches

	BP001 Surface Polycarbonate 3 Keys Tamper 2 Leaf Springs Length 95mm x Height 32mm x Width 45mm Operation Micro-switch		
---	---	--	--

MX Accessories

	MX000 Surface Mounting Box		MX005 "Like Glass" Pack of 10
	MX001 Pack of 10 Spare BGU Keys Suitable for all Maxhunt Call Points		MX008 Earth Strap
	MX003 Transparent Hinged Cover		
	MX004 Re-Set Plastic Element Pack of 10		
	MX004E Re-Set Plastic Element for Waterproof Pack of 10		

Foil Accessories

	D020 Double Foil Block Short Plate		D020 Aluminium Foil Self Adhesive Length 33mtr x 9mm
---	---	--	--

Spare Keys

	G013 Plastic Key - Suitable for all Maxhunt panic buttons		G014 Metal Key - Suitable for all Maxhunt panic buttons
---	---	--	---

Quotation Request

Name	Part No	Qty
Company		
Address		
City/Town		
Post Code		
Country		
Telephone No		
Fax No		
Email Address		

Please fax this sheet to +44 (0) 2920 489132 or contact us as below for further details:



TEL: +44 (0) 2920 488129
FAX: +44 (0) 2920 489132
EMAIL: sales@knightfireandsecurity.com
WEB: www.knightfireandsecurity.com